



31st March, 2021 / 18870

ગુજરાત વેપારી મહામંડળ

વલદ ધી કાર્યરત

To,
Shri Sanjeev Kumar, IAS
Chairman
Gujarat Pollution Control Board
Paryavaran Bhavan,
Sector 10 A,
Gandhinagar- 382010

Natubhai Patel
President

Hemant N. Shah
Sr. Vice President

K. I. Patel
Vice President

Pathik S. Patwari
Hon. Secretary

V. P. Vaishnav
Hon. Secretary (R)

Sachin K. Patel
Hon. Treasurer

Sub: Environmental issues faced by our Trade and Industry

Respected Sir,

Greetings from GCCI.

At the outset, we express our gratitude for giving your valuable time.

Sir, followings are some issues related to GPCB which need your urgent intervention:

- 1. EC for Change of products for manufacturing Intermediates.**
We are very happy that dyes industries as well as API drugs have been permitted to change their products without taking EC.

We strongly recommend that the same exemption should be granted to the Dye Intermediates Industries as technical discussions were already taken in 5 meetings and the rod map was finalized.

- 2. Treatment Storage and Disposal Facility (TSDF)**
Mainly due to effluent treatment given by the Industries/CETPs the generation of Hazardous waste is tremendous. However due to public hearing following concept of "Not in My Back Yard (NIMBY)", many TSDFs sites' files are pending for want of land being not notified.

It is unfortunate that though the TOR/EC/Consent is granted the sites are not allowed to accept waste of Industries.

Further application of sites may be considered as early as possible, otherwise the hazardous waste generated will create chaos in the season of monsoon. Even NGT is also concerned



about Hazardous Waste lying in the premises of Industries/CETPs.

ગુજરાત વેપારી મહામંડળ

ગલ્લે થી કાર્યરત

We request GPCB to recommend State Government/GIDC to allocate necessary notified land to develop the TSDF Site on common basis.

Natubhai Patel
President

Hemant N. Shah
Sr. Vice President

3. **Environment Damage Compensation**

Due to any accident or any other unavoidable circumstances, GPCB levies heavy penalty as Environment Damage Compensation which is very exorbitant for MSME industries.

K. I. Patel
Vice President

Pathik S. Patwari
Hon. Secretary

We request to review the rates of Environment Damage Compensation; with prior discussion with the Industries Associations. Till then the penalty for Environment Damage Compensation may not be levied.

V. P. Vaishnav
Hon. Secretary (R)

Sachin K. Patel
Hon. Treasurer

4. **Continuous Emission Monitoring System (CEMS).**

We suggest that clarification regarding the instrument and flow meter requirement must be given for the instrument and flow meter needed above 3 MT boiler. The time limit may be extended upto 30/6/2021 for placing the order for costly CEMS.

5. **Continuous Effluent Monitoring System (CEMS).**

As per the CPCB's directions in 2016, most of the CETPs and industries have installed costly Continuous Effluent Monitoring Systems. Approximately 200 Crores have been spent by the stakeholders. Every 30 minutes the results of pH, COD, BOD, Ammonical nitrogen and flow are transmitted to CPCB & GPCB. But unfortunately, GPCB & CPCB have never considered these results while calculating CEPI or evaluating the performance of the CETPs and ETPs. Hence we request GPCB to consider the online results in all the correspondences.

6. **To remove TDS norms from the CCA of Industries of Ahmedabad region**

It is our humble request that parameter 'TDS' from the CC&A of CETPs of Vatva, Naroda, Narol, etc must be removed, which was not there as per the Hon'ble High Court directions and more importantly the TDS contents of Raw Water are higher.



7. Plastic Waste Collection System
8. Issues of Ankleshwar Industries (letter attached)
9. Issues of The Ahmedabad Hand Screen Printing Association.

All the above issues are bringing Ease of Doing Business to the Industry of Gujarat and none of above is detrimental to the environment of Air/Water or Hazardous waste.

With warm regards,

Natubhai Patel
President

Natubhai Patel
President

Hemant N. Shah
Sr. Vice President

K. I. Patel
Vice President

Pathik S. Patwari
Hon. Secretary

V. P. Vaishnav
Hon. Secretary (R)

Sachin K. Patel
Hon. Treasurer



ધી અમદાવાદ હેન્ડ સ્કીન પ્રિન્ટીંગ એસોસીએશન

નેશનલ કલોથની બ્રાન્ચમાં, સુએઝફાર્મ ચાર રસ્તા, પીરાણા રોડ, બહેરામપુરા, અમદાવાદ-૩૮૦૦૨૨ E-mail : info.ahspa@gmail.com

સીરીયલ નં.: 4599

તારીખ : 27/03/2021

પ્રતિ,

માન. પ્રમુખ / સેક્રેટરી સાહેબ

ગુજરાત ચેમ્બર ઓફ કોમર્સ & ઇન્ડસ્ટ્રીઝ

આશ્રમરોડ, અમદાવાદ.



ધી અમદાવાદ હેન્ડ સ્કીન પ્રિન્ટીંગ એસોસીએશનના મેમ્બરોને હાલમાં જીપીસીબી સાથે નીચે મુજબના પ્રશ્નનો સામનો કરવો પડી રહેલ છે.

૧. અ.મ્યુ. કો. દ્વારા જાહેર કરવામાં આવેલ ઝોનીંગ બાબત:

દાણીલીમડા - બહેરામપૂરા વિસ્તારમાં ટી.પી. સ્કીમ નંબર ૧૩/૧ બહેરામપૂરા, દાણીલીમડા ૩૭/૩, દાણીલીમડા / ૩૮/૧, દાણીલીમડા ૩૮/૨, બહેરામપૂરા-દાણીલીમડા અને નોન ટી.પી. તરીકે સુએઝફાર્મમાં હેન્ડ બ્લોક, હેન્ડ સ્કીન પ્રિન્ટીંગ, ડાઈંગ, ફીનીશીંગ, કાપડ ધુલાઈ (ઘાટ) તપેલા ડાઈંગ, ગારમેન્ટ, વોશીંગ, ડાઈઝ, મશીનરી પ્રિન્ટીંગ, પ્રોસેસ જેવા વ્યવસાય સાથે જોડાયેલ નાના-નાના માઈક્રો, સ્મોલ સ્કેલના ઔદ્યોગિક એકમો આશરે સને ૧૯૮૧ થી ચાલતા આવેલ છે અમારા ઘણા મેમ્બરોની ફેક્ટરી સિકંદર માર્કેટ વિસ્તાર, મહારાજનુ ખેતર, છીપાકુઆ જેવા વિસ્તારોમાં અમદાવાદ મહાનગર પાલિકાની રચના થવા પહેલાથી કાર્યરત છે. જ્યારે આ વિસ્તારમાં ઝોનીંગનો કોઈ પ્રશ્ન ન હતો. કાળક્રમે અમદાવાદ શહેરના વિકાસ સાથે આ ઔદ્યોગિક વિસ્તારમાં રહેણાંક વિસ્તાર પણ થતા અ. મ્યુ.કો દ્વારા ઇન્ડસ્ટ્રીયલ ઝોનને રેસીડેન્સ ઝોન તરીકે જાહેર કરવામાં આવવાથી અમારા મેમ્બરોને જીપીસીબી પાસેથી મંજૂરી મેળવવામાં ખુબ જ તકલીફ પડી રહી છે. એસોસીએશન દ્વારા આ બાબતે અ. મ્યુ. કો, તથા જી.પી.સી.બી માં વખતોવખત રજુઆત કરવામાં આવેલ છે.

ગુજરાત ચેમ્બર ઓફ કોમર્સ એન્ડ ઇન્ડસ્ટ્રીઝમાં તા. ૦૬/૧૦/૨૦૨૦ ના રોજ GPCB ના પદાધિકારીઓ સાથે યોજાયેલ ઓપન હાઉસમાં AHSPA દ્વારા દાણીલીમડા-બહેરામપૂરા વિસ્તારમાં આવેલા તેમના સભ્યોના એકમોને લઈ "ઝોનીંગ" નો પ્રશ્ન ઉઠાવવામાં આવેલ. આ પ્રશ્નના નિરાકરણ તરીકે GPCB દ્વારા એસોસીએશનના જુના સભ્યોને મંજૂરી આપવામાં આવશે પરંતુ નવા સભ્યોને મંજૂરી આપવામાં આવશે નહીં તેવી જાહેરાત કરી હતી. વધુમાં જુના સભ્યોએ સબૂત તરીકે કોઈને જોબવર્ક હોય તેવા દસ્તાવેજો, ટેક્ષબીલ માન્ય રાખવામાં આવશે તેવી જાહેરાત કરેલ. AHSPA ના સભ્ય એકમોને Excise/Sales Tax જે તે સમયે લાગુ પડતા ન હોવાથી તેવા દસ્તાવેજો રજુ કરી શકે તેમ નથી પરંતુ AMC ના ટેક્ષ બીલ સબૂત તરીકે રજુ





શ્રી અમદાવાદ હેલ્થ સ્ટીન પ્રિન્ટીંગ એસોસીએશન

નેશનલ કલોથની બાજુમાં, સુએઝકાર્મ ચાર રસ્તા, પીરાણા રોડ, બહેરામપુરા, અમદાવાદ-૩૮૦૦૨૨ E-mail : info.ahspa@gmail.com

સીરીયલ નં.: 4600

તારીખ : ૨૭/૦૩/૨૦૨૧

કરી શકે છે તો AHSPA દ્વારા GPCB/MOEF&CC માં CTE/EC એમેન્ડમેન્ટની અરજી વખતે જે સભ્યોનું લીસ્ટ રજુ કરવામાં આવેલ તેવા સભ્યોની અરજીઓ સ્વીકારવા અને મંજૂરી આપવા માટેની આ રજૂઆત છે.

વધુમાં જીપીસીબી દ્વારા તા. ૦૯/૧૦/૨૦૧૫ ના પરિપત્રથી જે કોઈપણ ઉદ્યોગે પોતાનું ઉત્પાદન ચાલુ કરી દીધેલ હોય અને જીપીસીબી CTE/CCA માં અરજી કરેલ ન હોય તેવા અને મંજૂરી વિના ચાલતા હોય તેવા ઉદ્યોગો પાસેથી લેઈટ ફી એટલે કે વધારાની ફી સહીત કુલ ફી ૧-૨૫ લેવાનું નક્કી કરવામાં આવેલ અને જે હાલમાં અમલમાં છે.

ત્યારબાદ તા. ૨૩/૦૪/૨૦૨૦ ના પરિપત્રથી જીપીસીબી દ્વારા નવા એકમોની CTE ની અરજી વિકાસ યોજના મુજબ ઔદ્યોગિક વિસ્તારમાં હોય તે સુનિશ્ચિત કર્યા બાદ અરજી સ્વીકારવાની સૂચના આપવામાં આવેલ છે.

આમ જ્યારે અમારા મેમ્બરોની અરજીઓ સ્વીકારતી વખતે તા. ૦૯/૧૦/૨૦૧૫ ના પરિપત્ર મુજબ લેઈટ ફી પણ ભરવાની સૂચના આપવામાં આવે અને તા. ૨૩/૦૪/૨૦૨૦ પરિપત્ર મુજબ નવા ઉદ્યોગ ગણીને ઝોનીંગ સર્ટીફિકેટ આપવા આગ્રહ રાખવામાં આવે છે જે આ બંને પરિપત્રોને વંચાણે લેતા સુસંગત નથી.

૨. EC એમેન્ડમેન્ટ મુજબ AHSPA ના સભ્યોના લીસ્ટને ગ્રાહ્ય રાખી મંજૂરી આપવી:

EC એમેન્ડમેન્ટ માટે SEAC માં અરજી કરવામાં આવેલ અને તા. ૨૫/૦૭/૨૦૧૭ ના રોજ યોજાયેલ SEAC, Gujarat ની બેઠકમાં અમારી પ્રપોઝલનો Critically Polluted Area Vatva-Narol ના ૫ કી.મી. રેડીયસમાં આવેલ NGT ના ઓર્ડર મુજબ કેટેગરી "A" માં સમાવેશ કરવામાં આવેલ અને AHSPA ના MOEF&CC માં EC - એમેન્ડમેન્ટ માટે સંપર્ક કરવા જણાવેલ.

MOEF&CC ની EAC દ્વારા તેઓની ૪૭ મી મીટીંગ ૨૬-૨૭, ડીસેમ્બર, ૨૦૧૯ ના રોજ યોજાયેલ બેઠકમાં અગાઉ ૭૩૨ સભ્યોના લીસ્ટને બદલે ૬૭૨ સભ્યોનું સુધારેલ લીસ્ટ રજુ કરેલ અને તે માટેના કારણો પણ EAC સમક્ષ રજુ કરેલ, વધુમાં આ ૬૭૨ના સભ્યોનું લીસ્ટ ઓક્ટોબર-૨૦૧૭ પહેલાથી હયાત છે. AHSPA ની રજૂઆત અન્વયે EAC દ્વારા ચર્ચા વિચારણાના અંતે ૬૭૨ ના લીસ્ટને ગ્રાહ્ય રાખી EC માં તા. ૦૭/૦૨/૨૦૨૦ ના રોજ એમેન્ડમેન્ટ આપવામાં આવેલ.

અમારા આ લીસ્ટમાં સમાવેશ કરવામાં આવેલ સભ્યો દ્વારા જ્યારે પણ જી.પી.સી.બી. ની એન.ઓ.સી. / કન્સેન્ટ ની અરજી કરવામાં આવે તો તે સ્વીકારી જરૂરી મંજૂરી આપવા રજૂઆત છે.





ધી અમદાવાદ હેન્ડ સ્ક્રીન પ્રિન્ટીંગ એસોસીએશન

નેશનલ ક્લોથની બાજુમાં, સુએઝફાર્મ ચાર રસ્તા, પીરાણા રોડ, બહેરામપુરા, અમદાવાદ-૩૮૦૦૨૨ E-mail : info.ahspa@gmail.com

સીરીયલ નં.: ૪૬૦૧

તારીખ : ૨૭/૦૩/૨૦૨૧

૩. EDC ન લાગુ પાડવા માટે:

AHSPA ના સભ્યોને જ્યારે પણ GPCB દ્વારા ક્લોઝર આપવામાં આવે છે ત્યારે EDC ભરવા માટે પણ સૂચના આપવામાં આવે છે. ખરેખર AHSPA ના સભ્ય એકમો Critically Polluted Area Vatva-Narol ના ૫ કી.મી. ના રેડીયસમાં આવતા હોય SEAC Gujarat દ્વારા અમારી EC અમેન્ડમેન્ટની અરજીને NGT ના ઓર્ડર મુજબ પ્રોજેક્ટ "A" કેટેગરીમાં સમાવેશ કરેલ. Critically Polluted Area Vatva-Narol ના ૫ કી.મી. ના રેડીયસમાં આવતા હોય અમારા મેમ્બરોને જીપીસીબી દ્વારા મંજૂરીઓ પણ આપવામાં આવતી ન હતી. આમ જ્યારે EC અમેન્ડમેન્ટ માટે SEAC Gujarat દ્વારા અમોને NGT નો ઓર્ડર લાગુ પાડવામાં આવતો હોય તો પછી EDC ઉપર GCCI દ્વારા ના. સુપ્રિમ કોર્ટ દ્વારા સ્ટે આપવામાં આવેલ છે તેવા સંજોગોમાં અમારા સભ્યો પાસે EDC ભરવા માટે બોર્ડ દ્વારા આગ્રહ રાખવામાં આવે છે જે ખૂબજ અન્યાયી છે. હવે જ્યારે અમદાવાદ શહેરના વિસ્તારને કીટીકલી પોલ્યુટેડ એરિયામાંથી બહાર કાઢવામાં આવેલ છે ત્યારે EDC લાગુ ન પાડવાની રજૂઆત છે.

આપનો વિશ્વાસુ

ચાન્દન યુસુબાઈ

ધી અમદાવાદ હેન્ડ સ્ક્રીન પ્રિન્ટીંગ એસોસીએશન

(પ્રમુખ)





ANKLESHWAR INDUSTRIES ASSOCIATION

Plot No. 618-619, GIDC Industrial Estate, Ankleshwar -393 002. Dist: Bharuch (Gujarat) INDIA
Telefax: +91 2646 221000, 222000, 253102 E-mail: info@aiaindia.org Web : www.aiaindia.org

President

RAMESH D. GABANI

Tel.:(O) +91 2646 223525

Mobile: + 91 93775 22525

Hon. Gen. Secretary

Dr. VALLABH CHANGANANI

Tel.:(O) +91 2646 222738

Mobile: + 91 94268 00060

Imm. Past President

MAHESH J. PATEL

Tel.:(O) + 91 2646 251351

Mobile: + 91 98241 25040

Ref: AIA/RDG/2020-21/ 607

19/03/2021

The Chairman,
Gujarat Pollution Control Board,
'Paryavaran Bhavan', Sector 10 A,
Gandhinagar

Past President

CHANDRESH A. DEVANI

Tel.:(O) + 91 2646 250586

Mobile: + 91 93283 85000

Sub: - Implementation of policy for "Dual Discharge"

Vice President

JAYESH H. PATEL

Tel.:(O) + 91 2646 238772

Mobile: + 91 98980 87509

Ref: - i) GPCB policy for Dual Discharge dated 17.10.2017
ii) GPCB "Karyalay Adesh" dated 04.04.2018
iii) Minutes of meeting dated 11.06.2018- held by GPCB with Narmada Clean Tech, Ankleshwar Industries Association and Panoli Industries Association.

Vice President

DHARMENDRA M. PATEL

Tel.:(O) + 91 2646 225326

Mobile: + 91 98250 84447

Respected Sir,

As you are aware, due to declaration of Ankleshwar cluster (GIDC Ankleshwar and Panoli) as critically polluted area in year 2010, the new industries and expansion of existing industries having wastewater discharge into CETP/FETP were not permitted due to Directions u/s 18 (1)- b issued to Chairman- GPCB. This was affecting the industrial growth of the cluster to the large extent.

Hon. Treasurer

AMULAKH N. PATEL

Tel.:(O) + 91 2646 239861

Mobile: + 91 99250 06935

To overcome this issue, GPCB announced a "Policy for Dual Discharge" vide circular dated 17.10.2017 with certain specific condition where in new industries and expansion of existing industries were permitted with the condition to go for Zero Liquid Discharge (ZLD) for additional wastewater, instead of allowing discharge in to CETP/ FETP. This could help a lot for the industrial growth of this cluster.

Hon. Jt. Secretary

VINOD K. GADHIYA

Mobile: + 91 98241 10667

After that, this policy was restricted and suspended for Ankleshwar Cluster only vide GPCB "Karyalay Adesh" dated 04.04.2018 as the FETP was not meeting the norms and concept of "Total ZLD" was adopted for new/ expansion of existing units for the members of FETP/ ETL/ PETL.

Hon. Jt. Secretary

RAMESH K. BODAR

Tel.:(O) + 91 2646 302700

Mobile: + 91 9374215028

Later, the water pollution issues and performance of FETP was reviewed on 11.06.2018 by GPCB in a meeting held with representatives of NCT, AIA, ETL and PETL wherein it was noted that FETP was meeting the norms and it was decided that the Dual discharge policy which was discontinued earlier will be re- implemented in Ankleshwar and Panoli region with following condition,

- Unit shall be allowed maximum up to 100% increase in existing load.
- Unit shall have to comply with all the conditions framed under Dual Discharge Policy.
- Unit can switch over to another mode of disposal of wastewater depending upon the availability of hydraulic load after obtaining prior permission of the Board.



ANKLESHWAR INDUSTRIES ASSOCIATION

Plot No. 618-619, GIDC Industrial Estate, Ankleshwar -393 002. Dist: Bharuch (Gujarat) INDIA
Telefax: +91 2646 221000, 222000, 253102 E-mail: info@aiaindia.org Web : www.aiaindia.org

President

RAMESH D. GABANI

Tel.:(O) +91 2646 223525

Mobile: + 91 93775 22525

Hon. Gen. Secretary

Dr. VALLABH CHANGANI

Tel.:(O) +91 2646 222738

Mobile: + 91 94268 00060

Imm. Past President

MAHESH J. PATEL

Tel.:(O) + 91 2646 251351

Mobile: + 91 98241 25040

Past President

CHANDRESH A. DEVANI

Tel.:(O) + 91 2646 250586

Mobile: + 91 93283 85000

Vice President

JAYESH H. PATEL

Tel.:(O) + 91 2646 238772

Mobile: + 91 98980 87509

Vice President

DHARMENDRA M. PATEL

Tel.:(O) + 91 2646 225326

Mobile: + 91 98250 84447

Hon. Treasurer

AMULAKH N. PATEL

Tel.:(O) + 91 2646 239861

Mobile: + 91 99250 06935

Hon. Jt. Secretary

VINOD K. GADHIYA

Mobile: + 91 98241 10667

Hon. Jt. Secretary

RAMESH K. BODAR

Tel.:(O) + 91 2646 302700

Mobile: + 91 9374215028

Sir, there are many units in the cluster subscribed to NCT/ETL/PETL/AWML who have been granted EC/CC&A with ZLD. It may also be noted that the concept ZLD, itself has another environment issues like generation of hazardous waste, greenhouse gases and waste of energy and also not viable.

Considering all these aspects, we request you to allow discharge to industrial units registered with NCT/ETL/PETL/AWML as members, instead of ZLD and remove the condition of 100% increase in existing load.

Thanking you

Yours sincerely,

Ramesh D Gabani
President

cc to: The Member Secretary,
Gujarat Pollution Control Board,
Paryavaran Bhavan,
Sector-10/A, Gandhinagar.



NARMADA CLEAN TECH

(A Subsidiary of GIDC)

NCT/GPCB/2020/December - 103

14th December 2020

To,
The Member Secretary,
Gujarat Pollution Control Board,
Paryavaran Bhavan, Sector 10A
Gandhinagar-382010

Sub.: List of Member with booking quantity with NCT/PETL/AWML/ETL under 40 MLD consent quantity of FETP

Ref.: Meeting held on 30.06.2020 at Conference room- GPCB Gandhinagar under the Chairmanship of Member Secretary

Respected Sir,

As advised by you during discussion regarding the unutilized consented quantity of FETP, the list of the member units with address having CC&A and booking quantity with NCT/PETL/AWML under 40 MLD of CC&A of FETP is attached herewith.

Kindly consider following clarification in this regard.


- 1) NCT has prepared this list with consultation of AIA, AWML, ETL and PETL. The list is prepared with Booked Effluent Quantity (BEQ) with direct discharge to NCT, members of ETL, AWML and PETL to NCT (attached herewith as **Annexure -1**). This list also covers the quantity allotted under 5 MLD additional hydraulic loads approved by a committee constituted by GPCB for allotment.
- 2) Please note that in any case, if total quantity reaches to 40 MLD of consented quantity of FETP, NCT shall immediately inform GPCB.
- 3) AWML has been allotted 6.029 MLD booked quantity and list of their member units submitted to NCT by AWML is attached as **Annexure-2**.
- 4) ETL has been allotted 5.548 MLD booked quantity, out of which 3.5 MLD of quantity is converted into CC&A and balanced 2.048 MLD is eligible quantity to the Member Units of ETL.
- 5) PETL has been allotted 2.664 MLD booked quantity, out of which 1.02 MLD of quantity is converted into CC&A and balanced 1.664 MLD is eligible quantity to the Member Units of PETL. list of their member units submitted to NCT by PETL is attached as **Annexure-3**.
- 6) In case, any unit is not willing to utilize the allotted discharge/or not obtained CC&A within one year, the allotted quantity will be withdrawn by NCT and balanced quantity will be allotted to another unit. In such case, a revised list shall be submitted to GPCB periodically.
- 7) NCT reserves the rights to withdraw the allotted discharge in case of defaulting units w.r.t non-payment of required charges or any other related issues and shall inform GPCB immediately.
- 8) NCT reserves the rights to transfer the allotted quantity to the same group of unit within Ankleshwar/Panoli Estate with consent of respective Industries Association.
- 9) NCT shall inform GPCB regarding any change in Booking, if any, time to time.

12/12

- 10) It is learnt that some applications are in process with GPCB/EC committee for discharge. This will be rectified accordingly and same shall be informed to GPCB.
- 11) In case of any genuine mistake is noticed by NCT/GPCB, it will be rectified and informed to GPCB.

Considering above, we request you to consider the allotted discharge to the deserving unit and inform SEIAA as well as MoEF&CC to consider the same for processing the application for Environment Clearance.

Thanking You,
Yours Sincerely



Praful Panchal
CEO - NCT

cc to:

1. The Unit Head,
Gujarat Pollution Control Board,
Paryavaran Bhavan, Sector-10A,
Gandhinagar – 382010